

## 1997 VW Eurovan Key Features:

*[FULL PDF OF VAN https://www.rvroundtable.com/wp-content/uploads/winnebago/1997/1997.VWEurovan.pdf](https://www.rvroundtable.com/wp-content/uploads/winnebago/1997/1997.VWEurovan.pdf)*

### About The Eurovan Full Camper (stock specs)

In size and configurations, the Eurovan stands apart from the pack. Introduced in 1993, the VW™ Eurovan Camper replaced the lower powered rear-engine, rear-drive Vanagon with a new body style, and a 109 HP, 2.5-liter 5-cylinder front engine front wheel drive model. A 5-speed manual transmission was standard, with a 4-speed automatic optional. In 1997, VW™ increased the engine size to a 140HP, 2.8-liter V6 engine, as well as dual airbags. A 4-speed automatic is the only transmission option. The Eurovan Camper has cargo capacity of 1/2 ton. Low-speed traction control is standard, along with fully independent suspension, rack-and-pinion steering, antilock brakes, a reinforced floor panel, a daytime running light option, as well as a child safety lock for the sliding door. These versatile vans come standard with power windows, a pollen/dust filter, air conditioning, power locks, cruise control, 6-speaker stereo, intermittent wipers, heated windshield-washer nozzles, rear wiper/washer, and power mirrors. Seating 5, the Eurovan Camper has a forward-facing center bench that converts into a 2-person bed. It also has a pop-up roof with 2-person bed, full-swiveling captain's chairs, window blinds, second deep-cycle marine battery, a refrigerator, stove, sink, furnace, and much more!

### Eurovan Full Camper Brochure

[https://www.poptopheaven.com/\\_adm/includes/PDFs/1997VWEurovan.pdf](https://www.poptopheaven.com/_adm/includes/PDFs/1997VWEurovan.pdf)

## **Eurovan Specifications**

### **Seating Comfort**

Two full-swiveling front captain seats with adjustable armrests

Three-person rear bench

Dimensions Camper

43"x74" bed for two in the pop-up roof

Rear bench unfolds in to a second 43"x74" bed

Length 17'

Exterior height 6'5"

Exterior width 6'3"

Interior height 7' with top up

Interior width 5'5"

Fueled curb weight (lbs.) 5,236 (97-03)

Payload capacity 761 lbs

Wheelbase 115"

### **Storage Areas**

Wardrobe closet with sliding door access-37" tall, 28" wide, 15" deep

15 cu. ft. of enclosed cabinet space (including wardrobe)

20 cu. ft. of storage behind and under the rear bench

Driver and passenger door storage pockets

Netted storage pocket in rear hatch area

Silverware drawer

Cab-top luggage carrier with tie-down bars

Front seats swivel 360 degrees

AC/DC/LP gas refrigerator (2 cu. ft.)

Two-burner LP gas stove with stainless steel splatter shield

Stainless steel sink and counter top

Dining/utility tables

Auxiliary deep cycle coach battery (130 amp/hour rating) (

AC-to DC power converter with coach battery charger

Two 110-volt outlets, two 12-volt outlets

LED monitor panel for water tanks, LP gas and coach battery

Fluorescent lights over gallery and lower bed

Incandescent light for upper bed

Driver-side tip-out screened window

Passenger-side sliding screened window  
Room darkening, pleated blinds for side windows  
Privacy curtains for front cab and rear hatch windows  
Tip-out roof vent  
Auxiliary water sprayer at rear hatch  
Marine grade vinyl flooring rear of driver's cab  
12,000 BTU forced air furnace

### **Automotive Equipment**

In-dash air conditioning (CFC-free)  
Front and rear heating systems  
Power front windows with one-touch-down feature  
Power door locks (including side door and rear hatch)  
Cruise control with resume  
AM/FM/Cassette stereo with six speakers  
Intermittent windshield wipers  
Beverage holders  
Interior lighting, front cab area and side entrance  
Power outside mirrors with electric defrost feature  
Rear hatch wiper and defroster

### **Technical Information**

2.8-liter, 6-cylinder VR6 engine (1997-2000)  
2.8-liter, 6-cylinder VR6 engine (2001-2003)  
Peak horsepower: 201 @ 4,500 RPM  
Peak Ft/lb. torque: 190 @ 3,200 RPM  
Towing capacity: max. 4,400 lb. braked trailer  
4-wheel disk anti-lock braking system  
Daytime running lights  
Front-wheel drive  
Fully independent suspension, front and rear  
4-speed automatic transmission  
Low-speed Traction Control System  
Reinforced floor panels, B and C pillars  
Height-adjustable head restraints for each passenger

Side impact beams in front doors and sliding door

Child safety lock for sliding door

LP gas and carbon monoxide detectors

Fuel-tank capacity 21 gal.

22mpg highway, 17mpg city (1993-2005)

Front-wheel drive

Power-assisted rack-and-pinion steering

Fully independent suspension, front and rear

Power-assisted brakes with load sensor

Five-speed manual transmission

Four-wheel anti-lock braking system

### **Safety Features**

Dual airbags.

Height-adjustable three-point belts for front seats

Height-adjustable head restraints for each passenger

Energy-absorbing steel frame with additional deformation element

Energy-absorbing steel body panels welded to a steel "safety cage"

Side impact beams in front doors and sliding side door

Dual diagonal braking circuits with Load-sensitive Braking System

High-mounted brake light

Child safety lock for sliding side door

Shift Lock III (automatic transmission)

Safety fuel tank, overfill protection on LP tank

LP gas and Carbon Monoxide detectors

Ground Fault Interrupt (GFI) protection on 110-volt outlets

Storage Tanks

21.1-gallon gasoline tank

12-gallon fresh water tank

8-gallon "gray" water tank

5.9-gallon LP gas tank